FIEL Proof

2021 PRODUCT GUIDE

SITE TOW BOWSERS 3,000 TO 9,000 LITRES

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET



9.000 LITRE SITE TOW DIESEL BOWSER



4,500 LITRE SITE TOW DIESEL BOWSER



HEAVY DUTY INTEGRAL STEEL CHASSIS BUILT FOR **USE ON ROUGH TERRAIN**



IMPROVED REAR LIGHTING



LARGE FLOTATION TYRES FOR OFF-ROAD USE GALVANISED REFUELLING PLATFORM (6000 & 9000L)



FULL HEIGHT CABINET ON ALL MODELS ALLOWS FOR EASY ACCESS TO FUEL DISPENSING EQUIPMENT

OVERVIEW

The Fuel Proof range of bunded site tow bowsers combines safe, secure fuel storage with on-site mobility. Both the inner and outer tanks are constructed from steel throughout, with a 110% bund capacity in accordance with the PPG2 Pollution Prevention guidelines.

KEY FEATURES

- Fully compliant with current environmental regulations
- Steel tank and heavy duty integral chassis make these units the strongest and most durable on the market
- Baffled inner tank ensuring excellent stability
- Full height cabinet for access to dispensing equipment
- Galvanised refuelling platform (6,000 and 9,000 litre models)
- Manway for tank cleaning and inspection
- Heavy duty running gear and steel mudguards
- Hydraulic brakes
- Improved LED rear lights and brighter LED work lights
- Shot blasted to SA 2.5 and painted in 2-pack polyurethane finish
- 3 year warranty for peace of mind

PRODUCT CODES

CAPACITY		ACCESS PLATFORM	CODE
3,000 LITRE	(660 GALLON)	×	0440
4,500 LITRE	(1,000 GALLON)	×	0450
6,000 LITRE	(1,310 GALLON)	\checkmark	0460
9,000 LITRE	(1,978 GALLON)	\checkmark	0470

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE Length (M)	CABINET DEPTH (MM)	STEEL THICKNESS Inner Tank (MM)	STEEL THICKNESS Outer tank (MM)
3,000 LITRES (660 GALLONS)	4,639	2,202	2,313	1,759	4,287	12	886	3	4
4,500 LITRES [1,000 GALLONS]	5,589	2,383	2,535	2,754	6,665	12	793	5	4
6,000 LITRES [1,310 GALLONS]	5,935	2,700	2,712	3,380	8,516	30	991	5	5
9,000 LITRES (1,978 GALLONS)	6,733	2,738	2,713	4,167	11,902	30	1,001	5	5









STANDARD COLOUR:



020

TANK CONNECTIONS

- Rotary tank contents gauge
- 3" BSP fill point
- 2" BSP fill point
- 2" suction line with overfill

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

FUEL DISPENSING PACKAGES

PETROL ENGINED PUMP OPTIONS

PACKAGE CODE	PUMP	HOSE / REEL	TRIGGER	FILTER	FLOW METER	
ST010	120 L/MIN				0000	
	PETROL ENGINED PUMP 2030-020	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-040	
ST020	100 L/MIN					
	PETROL ENGINED PUMP 2030-020	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-040	
ST030	150 L/MIN				Secretary Secret	
	PETROL ENGINED PUMP 2030-020	REEL WITH 10M X 1½" HOSE 2500-140 / 2400-200	HIGH FLOW 1½" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-260	

FUEL DISPENSING PACKAGES HYDRAULIC POWERED PUMP OPTIONS

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

PACKAGE CODE	PUMP	HOSE	TRIGGER	FILTER	FLOW METER	
ST040	120 L/MIN			The second secon		
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	6M X 1" DIESEL HOSE 2400-299	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-040	
ST050	110 L/MIN			The state of the s		
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	REEL WITH 12M X 1" HOSE 2500-096	HIGH FLOW AUTO TRIGGER 2150-122	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-040	
ST060	150 L/MIN			COM STATE OF THE PARTY OF THE P	N NO DE	
	HYDRAULIC PUMP / SPOOL VALVE 2050-020 / 2051-010	REEL WITH10M X 1½" HOSE 2500-140 / 2400-200	HIGH FLOW 1½" AUTO TRIGGER 2150-162	HIGH FLOW PARTICLE FILTER 2300-380	3 DIGIT FLOW METER 2200-260	

SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET

DIESEL ENGINED PUMP

2033-100

FUEL DISPENSING PACKAGES

3 DIGIT FLOW METER

2200-260

DIESEL ENGINED PUMP OPTIONS

12V BATTERY / CARRIER

2550-040

PACKAGE CODE **PUMP HOSE / REEL TRIGGER** FILTER **FLOW METER BATTERY AND CARRIER ST070** 120 L/MIN DIESEL ENGINED PUMP 3 DIGIT FLOW METER 12V BATTERY / CARRIER 6M X 1" DIESEL HOSE HIGH FLOW AUTO TRIGGER HIGH FLOW PARTICLE FILTER 2400-299 2033-100 2150-122 2300-380 2200-040 2550-040 **ST080** 110 L/MIN DIESEL ENGINED PUMP 3 DIGIT FLOW METER 12V BATTERY / CARRIER REEL WITH 12M X 1" HOSE HIGH FLOW AUTO TRIGGER HIGH FLOW PARTICLE FILTER 2033-100 2500-096 2150-122 2300-380 2200-040 2550-040 ST090 150 L/MIN

REEL WITH 10M X 1½" HOSE HIGH FLOW 1½" AUTO TRIGGER

2150-162

2500-140 / 2400-200

HIGH FLOW PARTICLE FILTER

2300-380

OPTIONAL EQUIPMENT WATER FILTER OPTION


SITE TOW DIESEL BOWSERS - 3000 TO 9000 LITRES THE TOUGHEST SITE TOW BOWSERS ON THE MARKET



COLOUR OPTIONS

FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS






ADDITIONAL 14 DAYS LEAD TIME



500 £100 charge per unitCustomer must
provide RAL code

BULK TANKS



ADDITIONAL 14 DAYS Lead time



Customer must provide RAL code

Please Note:

All information and images in this brochure are for illustrative purposes only. Technical details are included as a guide and should be treated as approximate values. Confirmation of exact figures can be given at time of order and during any subsequent design period.



FUEL PROOF LTD

MIDDLETON BUSINESS PARK

MIDDLETON ROAD

HEYSHAM

LANCASHIRE

LA3 3FH

TEL: +44 (0) 1524 850685 FAX: +44 (0) 1524 850685 WEB: WWW.FUELPROOF.CO.UK E-MAIL: INFO@FUELPROOF.CO.UK